

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	608	(360/99.06).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 19:01
L2	294	(360/99.02).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 19:01
L3	1806	(360/133).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 19:01
L4	55	(369/291.1).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 19:01
L5	23	(720/630).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 19:01
L6	11	(720/637).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 19:01
L7	23	(720/639).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 19:01
L8	38	(720/643).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 19:01
L9	26	(720/644).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 19:01

L10	202	(720/718).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 19:01
L11	65	(720/725).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 19:01
L12	26	(720/734).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 19:01
L13	97	(720/738).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 19:01
L14	88	(720/739).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 19:01
L15	34	(720/740).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 19:01
L16	28	(720/743).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 19:01
L17	2967	L1 L2 L3 L4 L5 L6 L7 L8 L9 L10 L11 L12 L13 L14 L15 L16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 19:01
L18	190292	(elastic spring bias\$5 clos\$5 compression).clm.	US-PGPUB	OR	ON	2006/01/13 19:04
L19	20676	(cassette cartridge ((case casing housing) and (disc disk))).clm.	US-PGPUB	OR	ON	2006/01/13 19:04
L20	15850	(shutter door).clm.	US-PGPUB	OR	ON	2006/01/13 19:05
L21	738	18 and 19 and 20	US-PGPUB	OR	ON	2006/01/13 19:05
L22	150982	(stroke range limits ).clm.	US-PGPUB	OR	ON	2006/01/13 19:06
L23	124	21 and 22	US-PGPUB	OR	ON	2006/01/13 19:05
L24	32523	(lock latch).clm.	US-PGPUB	OR	ON	2006/01/13 19:06

L25	24	23 and 24	US-PGPUB	OR	ON	2006/01/13 19:11
L26	87080	(groove trench slot).clm.	US-PGPUB	OR	ON	2006/01/13 19:12
L27	54664	(arc\$4 round curved).clm.	US-PGPUB	OR	ON	2006/01/13 19:12
L28	152726	(insert\$4 load\$5).clm.	US-PGPUB	OR	ON	2006/01/13 19:13
L29	67	18 and 20 and 24 and 26 and 27 and 28	US-PGPUB	OR	ON	2006/01/13 19:14